



Bombardier Recreational Products
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com



Godfrey Marine
4500 Middlebury Street
Elkhart, IN 46516
888-463-3739
www.hurricaneboats.com



2008 Hurricane SD 220 O/B

BOAT	
2008 Hurricane SD 220 O/B	
Material:	Fiberglass
Length:	22'
Beam:	102"
Weight w/o Engine:	3409 LBS Dry
Maximum HP:	225 HP
Fuel Capacity:	60 Gallons
Transom height:	25" Shaft
Steering:	Hydraulic

ENGINE	
2008 Evinrude® 225 HP ETEC®	
Engine Type:	90° V6
Horsepower:	225HP @ 5150 RPM
Displacement:	3.3 Litre
Induction:	ETEC DFI
Operating Range:	4500-5800 RPM
Weight:	524 LBS Dry Weight
Gear Ratio:	1.85:1

PROPELLER	
BRP Cyclone™	
Material:	Stainless Steel
Diameter/Pitch:	14 1/4" x 18"
No. of Blades:	4
Part Number:	763940
MOUNTING HEIGHT	
Hole Position:	# 1
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.7	0.18	14.9	804
1000	5.2	0.60	8.6	465
1500	6.7	1.53	4.4	239
2000	8.1	4.34	1.9	101
2500	10.8	6.30	1.7	93
3000	18.0	7.23	2.5	134
3500	27.5	8.24	3.3	180
4000	33.0	10.03	3.3	178
4500	38.3	11.61	3.3	178
5000	44.3	14.97	3.0	160
5500	49.0	17.62	2.8	150
5675	50.5	19.15	2.6	142
Range (Miles) Based on 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	S 5-8 MPH
Air Temperature:	93° F
Fuel Load:	60 Gallons Full
Weight:	1 man (250 lbs), Fuel, Safety & test equip., 2 Group 27 Batteries

PERFORMANCE SUMMARY	
Top Speed:	50.5 MPH
Best Fuel Efficiency:	3.3 MPG with a range of 180 miles @ 27.5 MPH
Acceleration:	4.15 seconds to plane



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2007 BRP US Inc. All rights reserved.

™ ® Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

